

Specification Table

The following table is a summary of the primary features and capabilities of TRANSYT 17.0:

Feature	TRANSYT 17
Types of intersection that can be modelled	Signalled intersections Roundabouts – Fully signalled Roundabouts – Mixed signalled & unsignalled Roundabouts – At-grade and grade-separated
Multiple intersections / networks	Small networks – Mixed signalled & unsignalled, including: Roundabouts Mini-roundabouts Grade-separated roundabouts Priority intersections Arterials Large networks – Signalled & mixed
Model types	Macroscopic (or mixture of the following): Platoon Dispersion Cell-Transmission Congested Platoon Dispersion Simulation
Pedestrian crossings	Signalled (and unsignalled using simulation)
Modelling of non-cyclic behaviour / actuated signals (in Simulation)	Intermittent stages (i.e. non-cyclic behaviour) Basic actuated traffic signal control:
Other Scenarios modelled exclusively by Simulation model	Inherent modelling of blocking back effects Explicit modelling of complex flares (short bays) Modelling of entire modelled period Unsignalled (Zebra) crossings Controller streams running on different cycle times Bridging stages for use with banned stage transitions
Other scenarios modelled	CLF Complex signalling arrangements Continuous flow junctions Bypass lanes Flares Cyclists within dedicated cycle lanes, such as at CYCLOPS junctions
Automatic determination of optimum stage sequence and phase delays for single signalled junctions	✓



Feature	TRANSYT 17
Run all stage sequence combinations	✓
ARCADY / PICADY give-way coefficients derived within TRANSYT* (subject to ARCADY/PICADY module licences)	✓
Lane design capability	Using 'Lane Flow' network diagram
International appropriateness	√
International Localisation features and terminology	✓
Units	Customisable for input data and for results
Modelled time period	Any
Choice of link structure (for speed) or lane structure (for ease of use)	✓ ✓
Time-varying traffic flow conditions	
Easy traffic allocation (with various user options)	✓
Traffic assignment (User Equilibrium Model)	✓ Applied Locally or over wide-area
Traffic profile types	FLAT GAUSSIAN DIRECT
Choice of link structure (for speed) or lane structure (for ease of use)	✓
Signal Optimisers (Macroscopic models)	Hill-climb Simulated Annealing Shotgun Hill-climb Link-by-link hill-climb (faster optimisation)
Optimiser constraints and influencers	Weighting factors for each part of network Queue length penalties Degree of Saturation limit penalties Signal timing penalties (e.g. phase maximums) Locked controller times (per controller) Offset only optimisation (per controller) Locking of stages between controllers (CLF)
Timings to favour Buses/Trams	✓
Timings to favour Cyclists	✓
Turn-on-red calibration	✓
Dutch TxC calculation	✓
Alternative Chilean (TRANSYT 8S) platoon dispersion	✓
Pedestrian Delay (Including walk-on-red behaviour)	✓
Multiple Analysis sets (Signal Plans)	✓
Multiple Demand sets	✓ Including combining of sets
Demand Set growth factors	✓
Optimise specific Demand Set	✓ Optimisation based on one particular demand set, and other sets evaluated using these timings.



TRANSYT 17
✓ Via tabbed screens, data grids or tree structure
✓
✓
✓ Including: Full set of results Identification of 'Routes' through network 'Route' and Location-to-location journey times
√
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓ Either traffic stream or phase-based
✓Including: Comprehensive User Guide Context-sensitive Glossary Data 'field finder' Data item 'Tooltips'
✓ Via simulation model's Signal Log
Extensive display options Network background images In-diagram editing of timings via timing wheels Extensive diagram overlay selection 3-D representation of network diagram Network animations (2D or 3D) Import of 3-D (Collada format) models Saveable 3-D fly-through of network



Cloud-based facilities	TRANSYT 17
Network/Intersection diagram (Simulation Only)	Animations showing individual vehicle movements Animations synchronised with signals log (showing signal states through modelled period) Queue percentiles displayed Average queues Vehicles tagged with Path IDs Various filtering options, e.g. by source location Various colour coding, e.g. by time in queue
Multiple graph types	✓ Cyclic flow profile graphs Traffic graphs Time-distance diagram Analyser (x-y) graphs
Import from all previous TRANSYT versions	√
Various other import options	✓
Dynamic link to Excel	✓ For easier import of traffic flows
Automatic renaming of network items to speed up network construction	✓ Based on closest controller stream, Node or 8- point compass direction
Compare files	✓
Compare sets (within same file)	✓
Command Line Interface (CLI)	✓ Includes production of unencrypted data files and offers the ability to integrate TRANSYT models within local processes. Please enquire.
TRL Software Portal and licensing system	✓ Allocate licences to users (Local Admins only) Access latest Product installer Collaborative cloud storage area for user files Ability to restrict files within organisation, or share them with anyone Optional two-factor authentication for extra security



Technical	TRANSYT 17
Cloud-based 'follow me' user licensing	✓ Install desktop product on multiple devices
Discounted Student licence / Educational licence	✓
Opt-in for TRL Customer Experience program	✓
Temporarily run product off-line (without internet)	✓ Up to 7 days at a time
64-bit	✓
Desktop application for Windows 10 and Windows 11	✓

Services	TRANSYT 17
Support	✓ Telephone / email / website Website Knowledge Base Webinars 'How to' product videos
Product updates	New releases (minor updates / modifications / substantial improvements) accessible by subscription users immediately
Training courses (at additional cost)	Public or private On-line or face-to-face TRL venue or customer site UK or International